

nucamera

NuCamera inc.

6809 19 ave south
lakeworth, FL 33462

(561)703-9332
nucamera@gmail.com

Invoice

Date	Invoice #
01/15/2013	1214
Terms	Due Date
estimate	01/15/2013

Bill To
Sol Group

Amount Due	Enclosed
\$8,159.83	

Please detach top portion and return with your payment.

Activity	Quantity	Rate	Amount
<ul style="list-style-type: none"> Ultra-compact size 1/4" Progressive CMOS Sensor Apple iPhone & iPad Compatible FREE iCamViewer iPhone App <p>Mac Compatible using Safari Web Browser PC Compatible using Internet Explorer 30 Frames per second MJPEG & MPEG-4 in all resolutions Adjustable wall or ceiling mount Camera Power Supply Included POE (power over Ethernet) adapter is optional</p> <p>Superior Low-Light Performance with Automatic Night-mode Excellent Image Quality up to flexible 30 fps in all resolution for optimum bandwidth use Maximum Resolution 640x480 (VGA) provides superior image quality Simultaneous MPEG-4 and Motion JPEG video stream Built-In Multi-Window Motion Detection (3 detection areas) Two-way Audio with Built-In Microphone Optimal Synchronization of Audio and Video Support Live Video Viewing on Microsoft Live Messenger (MSN Messenger) Mobile Phone Streaming Live Video through 3GPP/ ISMA/ RTSP</p>	12	129.99	1,559.88
Continue to the next page.			

Activity	Quantity	Rate	Amount
<p>Mobile Phone Live Image through 2.5 WAP Multi-level Password Protection for Restricting Camera Access Video Buffer makes the Streaming Smoother UPnP for Fast and Easy Installation DDNS Supported Includes FREE Windows PC NVR Software</p> <p>User-friendly & Multi-lingual user interface</p> <ul style="list-style-type: none"> The Zavio D7110 Vandal Proof IP Camera features: <ul style="list-style-type: none"> "Built in Web Server "1.3 megapixel progressive scan CMOS sensor "2.7-9mm Vari-Focal Lens Provides 23 to 75 Degree Horizontal Angle of View "24 Infrared LEDs which Support Brightness Levels up to 60 feet "iPhone & iPad Compatible "Free iCamViewer App "Remote View from Mac Computers "Remote View from Windows Computers "Tri-Axis Mount for Ceiling or Wall Mount Applications "30 Frames per second at 640 x 480 Resolution, MJPEG, MPEG-4, H.264 "15 Frames per second at 1280 x 1024 Resolution, MJPEG, MPEG-4, H.264 "Power over Ethernet (IEEE 802.3af) "SD Card Local Video Recording Supported "Compatible with NUUO IP camera software 	4	399.99	1,599.96
<ul style="list-style-type: none"> Labor includes cable fittings adjustments and installation of ip cameras 	16	125.00	2,000.00

Continue to the next page.

Activity	Quantity	Rate	Amount
<ul style="list-style-type: none"> • Stand-Alone Linux Embedded NVR <ul style="list-style-type: none"> Up to 64 channels of IP cameras per Server Supports up to 64 5-Megapixel Cameras (based on H.264, 10FPS, moderate traffic) Stream up 10-Megapixel Camera Single View Base Models Support 4 IP Cameras Easy Upgrade of Licenses (up to 64 channels) Synchronize User Account across 100 servers through a single server instantly 4 Hard Drive Bays RAID 0, 1, 5, 10 Disk Support Dual Gigabit Ethernet Ports Dual Video Stream Support Windows Client Software for Viewing & Playback Mac Client Software for Viewing & Playback Enterprise Management of up to 100 Servers, 400 Channels Live View, 100 Channels Playback Optical PTZ Support - Users can click on the video screen to control PTZ cameras Centralized E-Map Manage I/O and Events Centrally from Client App Configurable Public and Private Views iPhone, iPad, and Android Mobile Apps 	1	2,999.99	2,999.99
		Total	\$8,159.83